

SEQUENCE LISTING

<110> University of Guelph

<120> Novel Inducible Genes From Alfalfa And Method Of Use Thereof

<130> 08-892370WO

<140> PCT/CA03/00964

<141> 2003-06-27

<150> 60/392,444

<151> 2002-06-28

<160> 19

<170> PatentIn version 3.1

<210> 1

<211> 474

<212> DNA

<213> Medicago sativa

<220>

<223> Nucleotide sequence of H7 coding region

<400> 1

```
atgggtgttt ttactttcaa tgatgaacat gtctcaaccg tggctccagc taaactctac      60
aaggctcttg caaaagatgc tgatgaaatc gtcccaaagg tgatttctgc tgcccaaagt      120
gttgaaattg ttgaaggaaa tggaggaccc ggaactatta agaagctatc cattgttgaa      180
gatggcaaaa ccaactttgt gctacacaaa ttagattcag tggatgaggc aaactttgga      240
tataactaca gcttagtggg aggaacaggg ttggatgaaa gtttagagaa agttgaattt      300
gagacaaaaa ttgttgctgg ctctgatggt ggatccattg ttaagatttc agtgaaatac      360
cataccaaag gtgatgcaac tctatctgaa gcagtacgtg aggagactaa ggccaaagga      420
actggactta tcaaggccat tgagggtac gttttagcaa accctaatta ctag              474
```

<210> 2

<211> 678

<212> DNA

<213> Medicago sativa

<220>

<223> Nucleotide sequence of H11 coding region

<400> 2

```
atggcctcca cactcagtct tgtcaagctt cccattcttt caagcatcaa gacacgccaa      60
```

tcaacctcaa aacatgttgt tccacttcca tccaaattca atattgtccc tcccacccca	120
ctaaagtttt cattagatca tcaaattaat atcaaacaaa cttctcttct atccctcaca	180
gcaatcacat ttccattctt attggatacc aaagagtttg ggatatttga aggaagaaca	240
tttgctctca ttcaccccat tgtgttgggt ggtttgttct tctatactct atatgctggc	300
tatttggggg ggcaatggcg ccgagttagg actattcaaa atgatattaa tgagctcaag	360
aaacaactca aacctgcacc ggtcgccctt gatggtaaag cacttgaaac ttcacgcga	420
tcacctgttg aacttcaa at ccagaaactt actgaggaga ggaaagagct tatcaaaggt	480
tcatacaggg ataaacactt taatgctgga tccatacttc taggatttgg tgtctttgag	540
gctgttgggt tgaggactca acacatgggt aaggacagga aagctatttc caggtccaca	600
tttatttgca ggagcaggca ttacgtctt atgggcactg gcagcagctc tagtaccacc	660
gatgcagaaa ggcagtga	678

<210> 3
 <211> 744
 <212> DNA
 <213> Medicago sativa

<220>
 <223> Nucleotide sequence of H12 coding region

<400> 3	
atggcaacca acgaagatca aaagcaaact gaatctggaa gacatcaaga agttggtcac	60
aagagtcttt tacaaagtga tgctctttac cagtatatc tagagaccag tgtcttccca	120
agagaacatg aagccatgaa agagttgaga gaggtcacag caaacacccc atggaacatc	180
atgacaacct ctgcagatga aggacaattt ttgagcatgc tccttaaact tatcaatgct	240
aagaatacca tggaaattgg tgtctacact ggctactccc tccttgccac tgccctagct	300
attcctgaag atggaaagat tttggctatg gacattaaca aagaaaatta cgaattgggt	360
ctacctgtaa ttaaaaaagc tgggtgtgat cacaaaattg atttcagaga aggtccagct	420
cttccagttc ttgatgaaat gatcaaagac gaaaagaatc atggtagcta cgatttcatt	480
tttgtggatg ctgacaaaga caattacctc aactaccata agaggttaat tgatcttggt	540
aaagtgggag gtgtgatcgg gtacgacaac accttatgga atggatctgt ggttgcaccc	600
cctgatgctc cattgaggaa gtatgttagg tactatagag attttgtttt ggagcttaac	660
aaggcttttg ctgtggacce taggattgaa atatgtatgc ttctgtttgg tgatggaatc	720

actatctgcc gtaggatcaa gtaa

744

<210> 4

<211> 634

<212> DNA

<213> Medicago sativa

<220>

<223> Nucleotide sequence of H7 regulatory region

<400> 4

```
acgcgtggtc gacggcccgg gctggtacta aagtattact attaccaaatt ttttaggacc      60
ccacccatga caccattgct atatttcaat ttgggaaaat attgctataa agttactgta      120
gtaactttta gaagaagggt ttttttttaa ggattttaga ggaagggttag caacacacat      180
gcactttaaa tatacatttt ttcttataaa gtttttgtat cgagttgaga aatcatatat      240
atactcataa atcatgtgga tttcatataa tttaatagaa cacataaatt ttaaccgaga      300
aataaagtgt tgcaaataata tggtaaaaga gtacgttggt aacattatgt taatttcctt      360
tattcaatcc acactttgag tcatggactg ctataactaat tcattttggt ttctgcaacc      420
taattagaga ttgtccagat acaaagagga gtaacctaat aaataaatat taaaatattc      480
accaacggcc tcagtaagct acttgagcta acaatgaga ttccaaata aggtagggtc      540
ttcccaagtt ctataaatag catccctcac catgtcataa accgcatcac aagttatata      600
ctgtattcat actatacact taccctttca tttta                                     634
```

<210> 5

<211> 438

<212> DNA

<213> Medicago sativa

<220>

<223> Nucleotide sequence of H11 regulatory region

<220>

<221> misc_feature

<222> (1)..(438)

<223> where "n" is a or g or c or t or other

<400> 5

```
cagaaccccc anaggctggt gctagtatgg ctctgttgta atacgactca ctatagggcg      60
cgcggtggtcg acggcccggg ctggtatcag cgagtaacga ttcacatat ctcaactag      120
ggatgaatga tttattattg agtttatgaa tttgaactat tactttctaat ttctaaatga      180
```

agacatttaa gtaaaagatt aaaatattct agtttcaa attttgatt ttagaattta 240
aatttaattct ttaaaaaaaaa attaaattta aagaagataa aaaggagaa aataaataga 300
tgaatataat ttgtaaacat gaagacctta tctccagtaa aaaaacatat ggaccttatt 360
tttttgaggt aggaaggatc tacgcgggga acctcttctt gactgtgaac cccgtatgca 420
gaggcagaga cagagagt 438

<210> 6
<211> 936
<212> DNA
<213> Medicago sativa

<220>

<223> Nucleotide sequence of H12 regulatory region

<400> 6
aaatacaaag gtgaccttat ttgcaaata atccatgcat ggaaatgcat catccttttg 60
aaaatgggtt tatctgaatt cttaagttac gtgaaaattt aatacatttc attttagata 120
aatttattat taaaattcac acttagatgg cctaaaaatt aacacttatt tttacaatt 180
caaataaaat atacgacgaa atgagtgtaa tttagttggt taagcatcgt caaagcttgg 240
agagaaagat catagtttga tctttgaaaa ctatactatt gaaaagggtg aagatatcta 300
acctccaaca aaatttattt gatagtcgat tcaaattatc aaaatttggga aaatattttg 360
taaattgtta agttgggaaa aatatgttaa ttttcaaatt accatttgca catttttcta 420
atctcaaata acatttaagg gatgttgact actttcgttt tgtacaaata tttacaattt 480
taacatttat aaaatgtgtt ttggtagata aaaagtgtga gtattcttta taagagattg 540
tgtttttctt ttgttttaac ttataaaata aatatatatt ttattttatt ttaacgtgag 600
attgtaagaa ttcattataa gattatgtca ttccctcaa agaaaattag atgatgtcat 660
tttcataact cattttctat aaatacagaa aatcctcaa aatgaaaaac ctoggtcaa 720
aaataaaaga aaacatcaa tagtggtg gcccacactc attgctttgc tttagtatga 780
gaaagtagac ctccaccaacc acgaaccgga cgccgaccgg ttcaaccaa catcacacca 840
attttcctaa accataccgg tttttcctc ccttatataa ccatcctctc cctcttctc 900
taaccaagct tcattcaact cttcaacaca tatcag 936

<210> 7
<211> 1424

<212> DNA

<213> Medicago sativa

<220>

<223> Nucleotide sequence of genomic H7

<400> 7

```
acgcgtggtc gacggcccgg gctggtacta aagtattact attaccaaatt ttttaggacc      60
ccacccatga caccattgct atatttcaat ttgggaaaat attgctataa agttactgta      120
gtaactttta gaagaagggt ttttttttaa ggattttaga ggaagggttag caacacacat      180
gcactttaaa tatacatttt ttcttataaa gtttttgtat cgagttgaga aatcatatat      240
atactcataa atcatgtgga tttcatataa tttaatagaa cacataaatt ttaaccgaga      300
aataaagtgt tgcaaatata tgtttaaaga gtacgttggt aacattatct taatttcttt      360
tattcaatcc acactttgag tcatggactg ctatactaatt tcattttggt tttcgcaacc      420
taattagaga ttgtccagat acaaagagga gtaacctaat aaataaatat taaaatattc      480
accaacggcc tcagtaagct acttgagcta aacaatgaga tttccaaata aggtagggtc      540
ttcccaagtt ctataaatag catccctcac catgtcataa accgcatcac aagttatata      600
ctgtattcat actatacact tacccttca tttacttctt gcatattgat ccttggtatc      660
ttgatataata tatcatgggt gtttttactt tcaatgatga acatgtctca accgtggctc      720
cagctaaact ctacaaggct cttgcaaaag atgctgatga aatcgtecca aaggtgattt      780
ctgctgcca aagtgttgaa attgttgaa gaaatggagg acccggaact attaagaagc      840
tatccattgt tgaagatggc aaaaccaact ttgtgtctaca caaattagat tcagtggatg      900
aggcaaactt tggatataac tacagcttag tgggaggaac aggggttgat gaaagtttag      960
agaaagttga atttgagaca aaaattgttg ctggctctga tgggtggatcc attgttaaga     1020
tttcagtga ataccatacc aaagggtgat caactctatc tgaagcagta cgtgaggaga     1080
ctaaggccaa aggaactgga cttatcaagg ccattgaggg ctacgtttta gcaaacccta     1140
attactagcc aattaaacct tattgaggac ttttaatttg gttgtgttgt ttcatgcgaa     1200
taataattaa agtttatgat gcggttgaag tgtgttgagt atacatcaag gtctttggct     1260
cgtacatgtg tgttggtttt gttggatggt gtgaggtttg agtgctatct tgggtgttta     1320
aaaacaaaaa cctatgttgt gttggtgata aggttttgca ccatctgtat tatgcaataa     1380
ataatgcaaa agaattttat cgcgaaaaaa aaaaaaaaaa aaaa                       1424
```

<210> 8
 <211> 1482
 <212> DNA
 <213> Medicago sativa

<220>
 <223> Nucleotide sequence of genomic H11

<220>
 <221> misc_feature
 <222> (1)..(1482)
 <223> Where n is a or g or c or t or other

<400> 8
 cagaaccccg anaggctggt gctagtatgg cttcgttgta atacgactca ctatagggcg 60
 cgcgtaggtcg acggcccggt ctggtatcag cgagtaacga ttcacatat ctcacactag 120
 ggatgaatga tttattattg agtttatgaa tttgaactat tacttctaata ttctaaatga 180
 agacatttaa gtaaaagatt aaaatattct agtttcaaata attttggatt ttagaattta 240
 aatttaattct ttaaaaaaaa attaaattta aagaagataa aaaggagaa aataaataga 300
 tgaatataat ttgtaaacat gaagacctta tctccagtaa aaaaacatat ggaccttacc 360
 tttttgaggt aggaaggatc tacgcggtga acctcttctt gactgtgaac ccggtatgca 420
 gaggcagaga cagagagtat ggccctccaca ctcagtcttg tcaagcttcc cattctttca 480
 agcatcaaga cagccaatc aacctcaaaa catgttggtc cacttccatc caaattcaat 540
 attgtccctc ccacccact aaagttttca ttagatcatc aaattaatat caaacaact 600
 tctcttctat cctccacagc aatcacattt ccattcttat tggataccaa ggcaagcaag 660
 caagcaagca tcctattcta ttctattctt tcacccatct ctttactctt ttgttttcta 720
 accaatccat gatatgaatg ttgttgaaac aggatgcact tgctgttggt ggagagtttg 780
 ggatatttga aggaagaaca ttgctctca ttcaccccat tgtgttgggt ggtttgttct 840
 tctatactct atatgctggc tatttggggg ggcaatggcg ccgagttagg actattcaaa 900
 atgatattaa tgagctcaag aaacaactca aacctgcacc ggtcgccctt gatggtaaaag 960
 cacttgaaac ttcaccgcca tcacctgttg aacttcaaata ccagaaactt actgaggaga 1020
 ggaaagagct tatcaaaggt tcatacaggg ataaacactt taatgctgga tccatacttc 1080
 taggatttgg tgtctttgag gctgttggtg tgaggactca acacatgggt aaggacagga 1140
 aagctatttc caggtccaca tttatttgca ggagcaggca ttaccgtctt atgggcactg 1200

gcagcagctc tagtaccacc gatgcagaaa ggagtgaaa cagccagaaa tcttcacatt 1260
gctctgaata cattgaatgt tcttctcttt gtgtggcaga ttccactgg acttgatatt 1320
gtagggaaag tgtttgagtt cacaaaatgg ccttgaatgt atgattctca tatgtaagta 1380
agttcccagg tattttactt tcaaatcagt atttggcaat atcaataaat gcaaaatttg 1440
ctattctgca ttttcaaaaa aaaaaaaaaa aaaaaaaaaa aa 1482

<210> 9

<211> 1906

<212> DNA

<213> Medicago sativa

<220>

<223> Nucleotide sequence of genomic H12

<400> 9

aaatacaaag gtgaccttat ttgcaaata atccatgcat ggaaatgcat catccttttg 60
aaaatggggtt tatctgaatt cttaagttac gtgaaaattt aatacatttc attttagata 120
aatttattat taaaattcac acttagatgg cctaaaaatt aacacttatt tttacaatt 180
caaataaaat atacgacgaa atgagtgtaa tttagttggt taagcatcgt caaagcttgg 240
agagaaagat catagtttga tctttgaaaa ctatactatt gaaaagggtg aagatatcta 300
acctccaaca aaatttattt gatagtcgat tcaaattatc aaaatttggg aaatattttg 360
taaattgtta agttgggaaa aatatgttaa ttttcaaatt accatttgca catttttcta 420
atctcaaatc acatttaagg gatgttgact actttcggtt tgtacaaatc tttacaattt 480
taacatttat aaaatgtggt ttggtagata aaaagtgtga gtattcttta taagagattg 540
tgtttttctt ttgttttaac ttataaaata aatatatatt ttattttatt ttaacgtgag 600
attgtaagaa ttcattataa gattatgtca ttccctcaaa agaaaattag atgatgtcat 660
tttcataact cattttctat aaatacagaa aatcctcaaa aatgaaaaac ctcggtcaaa 720
aaataaaaga aaaacatcaa tagtggactg gccacactc attgctttgc tttagtatga 780
gaaagtagac ctaccaacc acgaaccgga cgccgaccgg ttcaaccaaa catcacacca 840
attttcctaa accataccgg tttttcctc ccttatataa ccatcctctc cctcttctc 900
taaccaagct tcattcaact cttcaacaca tatcagaaac agaaaaaaga agcaaaacat 960
tccaagaatt taacaatggc aaccaacgaa gatcaaaagc aaactgaatc tggaagacat 1020
caagaagttg gtcacaagag tcttttacia agtgatgctc tttaccagta tattctagag 1080

accagtgtct tcccaagaga acatgaagcc atgaaagagt tgagagaggt cacagcaaaa 1140
 caccatgga acatcatgac aacctctgca gatgaaggac aatttttgag catgctcctt 1200
 aaacttatca atgctaagaa taccatggaa attggtgtct acactggcta ctccctcctt 1260
 gccactgccc tagctattcc tgaagatgga aagatttttg ctatggacat taacaaagaa 1320
 aattacgaat tgggtctacc tgtaattaaa aaagctggtg ttgatcacia aattgatttc 1380
 agagaaggtc cagctcttcc agttcttgat gaaatgatca aagacgaaaa gaatcatggt 1440
 agctacgatt tcatttttgt ggatgctgac aaagacaatt acctcaacta ccataagagg 1500
 ttaattgatc ttgttaaagt gggagggtgtg atcgggtacg acaacacctt atggaatgga 1560
 tctgtggttg caccctctga tgctccattg aggaagtatg ttaggtacta tagagatttt 1620
 gttttggagc ttaacaaggc tttggctgtg gaccctagga ttgaaatatg tatgcttcct 1680
 gttggtgatg gaatcactat ctgccgtagg atcaagtaat tggtttgcac gtgcactata 1740
 tcatgtaatg cactgctcca cattattgat cattattgtg tggaagctac agagcattta 1800
 aaagtcttca agccttcttg tcttttgta ttttcttca acatatttgt ggttgtaatt 1860
 ttctcttgtc attgatattg aaacttcgaa taattgaaag ttatat 1906

<210> 10

<211> 157

<212> PRT

<213> Medicago sativa

<220>

<223> Amino acid sequence encoded by H7 coding region

<400> 10

Met Gly Val Phe Thr Phe Asn Asp Glu His Val Ser Thr Val Ala Pro
 1 5 10 15

Ala Lys Leu Tyr Lys Ala Leu Ala Lys Asp Ala Asp Glu Ile Val Pro
 20 25 30

Lys Val Ile Ser Ala Ala Gln Ser Val Glu Ile Val Glu Gly Asn Gly
 35 40 45

Gly Pro Gly Thr Ile Lys Lys Leu Ser Ile Val Glu Asp Gly Lys Thr
 50 55 60

Asn Phe Val Leu His Lys Leu Asp Ser Val Asp Glu Ala Asn Phe Gly
 65 70 75 80

Tyr Asn Tyr Ser Leu Val Gly Gly Thr Gly Leu Asp Glu Ser Leu Glu
 85 90 95

Lys Val Glu Phe Glu Thr Lys Ile Val Ala Gly Ser Asp Gly Gly Ser
 100 105 110

Ile Val Lys Ile Ser Val Lys Tyr His Thr Lys Gly Asp Ala Thr Leu
 115 120 125

Ser Glu Ala Val Arg Glu Glu Thr Lys Ala Lys Gly Thr Gly Leu Ile
 130 135 140

Lys Ala Ile Glu Gly Tyr Val Leu Ala Asn Pro Asn Tyr
 145 150 155

<210> 11

<211> 247

<212> PRT

<213> Medicago sativa

<220>

<223> Amino acid sequence encoded by H12 coding region

<400> 11

Met Ala Thr Asn Glu Asp Gln Lys Gln Thr Glu Ser Gly Arg His Gln
 1 5 10 15

Glu Val Gly His Lys Ser Leu Leu Gln Ser Asp Ala Leu Tyr Gln Tyr
 20 25 30

Ile Leu Glu Thr Ser Val Phe Pro Arg Glu His Glu Ala Met Lys Glu
 35 40 45

Leu Arg Glu Val Thr Ala Lys His Pro Trp Asn Ile Met Thr Thr Ser
 50 55 60

Ala Asp Glu Gly Gln Phe Leu Ser Met Leu Leu Lys Leu Ile Asn Ala
 65 70 75 80

Lys Asn Thr Met Glu Ile Gly Val Tyr Thr Gly Tyr Ser Leu Leu Ala
85 90 95

Thr Ala Leu Ala Ile Pro Glu Asp Gly Lys Ile Leu Ala Met Asp Ile
100 105 110

Asn Lys Glu Asn Tyr Glu Leu Gly Leu Pro Val Ile Lys Lys Ala Gly
115 120 125

Val Asp His Lys Ile Asp Phe Arg Glu Gly Pro Ala Leu Pro Val Leu
130 135 140

Asp Glu Met Ile Lys Asp Glu Lys Asn His Gly Ser Tyr Asp Phe Ile
145 150 155 160

Phe Val Asp Ala Asp Lys Asp Asn Tyr Leu Asn Tyr His Lys Arg Leu
165 170 175

Ile Asp Leu Val Lys Val Gly Gly Val Ile Gly Tyr Asp Asn Thr Leu
180 185 190

Trp Asn Gly Ser Val Val Ala Pro Pro Asp Ala Pro Leu Arg Lys Tyr
195 200 205

Val Arg Tyr Tyr Arg Asp Phe Val Leu Glu Leu Asn Lys Ala Leu Ala
210 215 220

Val Asp Pro Arg Ile Glu Ile Cys Met Leu Pro Val Gly Asp Gly Ile
225 230 235 240

Thr Ile Cys Arg Arg Ile Lys
245

- <210> 12
- <211> 44
- <212> DNA
- <213> Artificial Sequence
- <220>
- <223> Nucleotide sequence of PCR-Select cDNA synthesis primer; see Fig.2
- <220>
- <221> misc_feature
- <222> (1)..(44)

<223> where n is a or g or c or t or other

<400> 12

ttttgtacaa gctttttttt tttttttttt tttttttttt tttn

44

<210> 13

<211> 44

<212> DNA

<213> Artificial Sequence

<220>

<223> Nucleotide sequence of Adaptor 1; see Fig.2

<400> 13

ctaatacgac tcactatagg gctcgagcgg ccgcccgggc aggt

44

<210> 14

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> Nucleotide sequence of Adaptor 2R; see Fig.2

<400> 14

ctaatacgac tcactatagg gcagcgtggt cgcggccgag gt

42

<210> 15

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Nucleotide sequence of PCR primer 1; see Fig.2

<400> 15

ctaatacgac tcactatagg gc

22

<210> 16

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Nucleotide sequence of nested PCR primer 1; see Fig.2

<400> 16

tcgagcggcc gcccgggca

19

<210> 17
<211> 20
<212> DNA
<213> Artificial Sequence

<220>

<223> Nucleotide sequence of nested PCR primer 2R; see Fig.2

<400> 17

agcgtgggtcg cggccgaggt

20

<210> 18

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> Nucleotide sequence of complement (partial); see Fig.2

<400> 18

ggcccgtcca

10

<210> 19

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> Nucleotide sequence of complement (partial); see Fig.2

<400> 19

gccgggtcca

10